Appendix 1: Alternative approach to summarising key messages from 2013/14 JSNA Key Dataset.

Table 3 presents a selection of those flagged 'green' (Croydon performing better than England and this difference is statistically significant) and where either or both of the one or three year trends show that Croydon's ranking has improve, and where neither of these trends show a deterioration.

Table 3: Key 'good news' stories from the 2013/14 Key Dataset for Croydon

| No. | Indicator | Trend data One or both one and three years showing improved ranking? | New data for 2013? |
|---------------|---|--|-----------------------|
| Commu | nity life | | |
| 9 | Fuel poverty | Both | No |
| 23 | Killed or seriously injured casualties on roads | One | Yes |
| Social | are | | |
| 26 | Clients receiving self-directed support | One | No |
| 28, 29 | Delayed transfers of care from hospital | One | Yes |
| Young | | | |
| 59 | Gap in good level of development at age 5 between pupils eligible for free school meal and the rest | One | No |
| 62 | Attainment at key stage 4 | Both | Yes |
| 67 | Looked after children living in the same placement for at least 2 years indicator | Both | Yes |
| 71 | Admissions caused by injuries in children | One | Yes |
| Workin | | 0110 | 1 .00 |
| 91, 93, 94 | People with no qualifications; people qualified to 2 A-levels or degree level | Both | Yes |
| 95 | 16-18 year olds not in education, employment or training | One | Yes |
| 97 | Average earnings of employees | One | Yes |
| 111 | Adults with mental illness living | One | Yes |
| | independently, with or without support | | 100 |
| Later li | | | |
| 124 | Admissions for hip fracture | Both | Yes |
| Healthy | | | |
| 135 | Suicide rate | One | No |
| 143, | Incidence of all cancers, colorectal cancer | Both | Yes |
| 151 | and bladder cancer | | |
| and | | | |
| 163 | | | |
| 155, | Incidence of all skin cancers and cervical | One | Yes |
| 159 | cancer | | |
| 158 | Deaths from breast cancer | One | No |
| 160 | Deaths from cervical cancer | Both | No |
| 178 | Access to diabetic retinopathy screening | One | Yes |
| 198 | GP recorded asthma prevalence | One | No |
| 205 | GP recorded depression prevalence | One | No |
| | services | | |
| 231 | Offered an NHS health check | One | Yes |
| | | | |

Table 4 presents those indicators which are flagged 'red' (ie where Croydon performs below England and where this difference is statistically significant) and where either or both of the one or three year trends show that Croydon's ranking has deteriorated.

Table 4: Key challenges facing Croydon from the 2013/14 Key Dataset for Croydon

| No. | Indicator | Trends | New data for 2013? |
|-----------|--|--------|--------------------|
| Housing | | | |
| 5 | Households in temporary accommodation | One | Yes |
| Crime | decommedation | | |
| 10 | Total police recorded crime | One | Yes |
| 11 | First-time entrants to the youth | Both | Yes |
| | justice system | | |
| 12 | Youth re-offending | One | Yes |
| Violence | | | |
| 15 | Violence against the person | One | Yes |
| Social ca | are | | Į. |
| 27 | Social connectedness | One | Yes |
| 33 | Clients who say services have made | One | Yes |
| | them feel safe and secure | | |
| 125 | Permanent admissions of adults | One | Yes |
| | aged 18 to 64 to care homes | | |
| Poverty | 1 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| 39, 40 | School children known to be eligible | Both | Yes |
| | for free school meals | | |
| Early yea | ars | | • |
| 47-51 | Childhood immunisations | Both | No |
| 55 | Excess weight in 4-5 year olds | Both | Yes |
| 57 | Children travelling to school by | One | No |
| | public transport, cycling or walking | | |
| Dental h | | | |
| 53, 237 | Children and adults accessing NHS dentistry | Both | Yes |
| Sexual h | ealth | | |
| 80 | Repeat abortions (all ages) | One | Yes |
| Vaccinat | | | |
| 116 | Flu vaccination coverage (at risk individuals) | Both | No |
| Falls | , , , , , , , , , , , , , , , , , , , | | |
| 123 | Injuries due to falls | One | Yes |
| | e mortality | | |
| 133 | Life expectancy at age 75 (women) | Both | No |
| | from causes amenable to healthcare | | |
| 136 | Potential years of life lost from | Both | Yes |
| | causes considered amenable to | | |
| | healthcare (men) | | |
| 137 | Potential years of life lost from | One | Yes |
| | causes considered amenable to | | |
| | healthcare (women) | | |

Agenda Item 7 Health & Wellbeing Board (Croydon) 23 October 2013

| Spend per head on cancers and | Both | Yes |
|------------------------------------|--|---|
| tumours | | |
| m conditions - diabetes | | |
| Spend per head on endocrine, | Both | Yes |
| nutritional and metabolic problems | | |
| GP recorded diabetes prevalence | One | No |
| Emergency admissions for diabetes | One | No |
| obstructive pulmonary disease | | • |
| GP recorded COPD prevalence as a | One | No |
| % of estimated COPD prevalence | | |
| • | | • |
| Emergency admissions for children | Both | No |
| with asthma | | |
| ealth | | |
| GP recorded severe mental illness | One | No |
| prevalence | | |
| | | |
| Alcohol related recorded crimes | Both | No |
| | | |
| Drug offences | One | Yes |
| Successful completion of drug | One | Yes |
| treatment (non-opiate users) | | |
| | | • |
| Overall experience of GP services | One | Yes |
| | tumours m conditions - diabetes Spend per head on endocrine, nutritional and metabolic problems GP recorded diabetes prevalence Emergency admissions for diabetes obstructive pulmonary disease GP recorded COPD prevalence as a % of estimated COPD prevalence Emergency admissions for children with asthma ealth GP recorded severe mental illness prevalence Alcohol related recorded crimes Drug offences Successful completion of drug treatment (non-opiate users) ion with primary care services | tumours m conditions - diabetes Spend per head on endocrine, nutritional and metabolic problems GP recorded diabetes prevalence Emergency admissions for diabetes GP recorded COPD prevalence as a % of estimated COPD prevalence Emergency admissions for children with asthma ealth GP recorded severe mental illness prevalence Alcohol related recorded crimes Both Drug offences Successful completion of drug treatment (non-opiate users) ion with primary care services |

Appendix 2: JSNA Key Dataset 2013/14

Croydon Joint Strategic Needs Assessment

Croydon Key Dataset 2013/14 (DRAFT)

Lead Author(s)

Jenny Hacker, Consultant in Public Health, Public Health Croydon

David Osborne, Senior Public Health Information Analyst, Public Health Croydon

Remi Omotoye, Public Health Information Analyst, Public Health Croydon

Acknowledgements

We would like to acknowledge the JSNA Steering Group, the JSNA Governance Group and the following individuals for their input into and helpful comments on the dataset:

Eric Ayoola, Senior Performance Officer - Children's Social Care, Croydon Council

Martin Ellender, Head of Strategy and Performance, Croydon Council

Sharon Jones, Director of Health and Wellbeing, Croydon Health Services

Lee Lewis, Senior Performance Officer - Adult's Social Care, Croydon Council

Alison Miller, Public Health Principal for Maternal and Infant Health, Croydon Council

Sarah Nicholls, Consultant in Public Health, Croydon Council

Ray Rajagopalan, Data Resources Manager, Croydon Drug and Alcohol Action Team

Nerissa Santimano, Public Health Information Analyst, Croydon Council

Jenita Treacy, Performance Manager, Croydon Council

Contents

The data in this chapter was the most recent published data as at **6**th **August 2013**. Readers should note that more up-to-date data may have been subsequently published, and are advised to refer to the source shown under figures or listed in the appendices for the chapter for the latest information.

Background to the 2013/14 Key Dataset

The Key Dataset is part of Croydon's annual approach to Joint Strategic Needs Assessment (JSNA). The full 2013/14 JSNA, including four key topic chapters on homelessness, domestic violence, alcohol, and obesity and physical activity can be found at http://www.croydonobservatory.org/jsna/.

What is the Croydon Key Dataset and how is it used?

The Croydon Key Dataset brings together comparative data for a wealth of indicators of relevance to health and wellbeing. This year, over 200 indicators have been included, grouped into the following headings¹:

- Deprivation
- Community life
- Early life
- Family life
- Working age

- Later life
- Healthy life:
 - Long term conditions
 - Healthy lifestyles
 - o Health services

By using indicators for which data is available across the country, and by providing trend data, national and regional comparisons can be made of Croydon's performance or levels of need now and in the future. Indicators where Croydon's performance or levels of need are statistically significantly different from the England averages are highlighted visually. Areas where Croydon performs better or worse, or has greater or lesser need than is average for the country can be therefore be flagged easily, making the Dataset, along with the rest of the JSNA, a key tool for prioritisation and for informing commissioning decisions.

How do I interpret the information in the dataset?

The following explanation of how to interpret the Dataset is essential to all users. Those wishing to develop their understanding further should read **Appendix 1**.

For each individual indicator (numbered 1 to 239), a summary of the indicator is followed by the data for Croydon, London and England. In the England range column, Croydon's figures are represented by a circle. A **green circle** shows that Croydon's performance is statistically significantly better than for England as a whole, or that need is lower. A **red circle** shows that Croydon's performance is statistically significantly worse than for England as a whole, or that need is greater. A **yellow circle** shows that there is no statistically significant difference between Croydon and England. For a small number of indicators (shown with a white circle) it was not possible to calculate statistical significance.

The **London average** is shown by a **grey diamond**. If the circle (Croydon) is the left of the diamond (London), Croydon's figures are worse than the London average, or need is greater. If the circle is to the right of the diamond, Croydon's figures are better than London,

¹ Some indicators could 'fit' into more than one section. Where this is the case, we have **signposted** related indicators in other sections of the dataset

or need is lower. If they overlap (for example, see indicator 65 on pupil absence rate) the two are similar.

Significantly worse/higher need than England average
 London average

O Not significantly different from England average

Significantly better/lower need than England average

O No significance can be calculated

The 1 Year Trend and 3 Year Trend columns show the **direction of travel** over one and three years, where data is available. A **red triangle** suggests a deterioration relative to others, **green** an improvement, and a **dark line** little change.

| • | Deteriorating | relative to | other local | authorities in | England |
|---|---------------|-------------|-------------|----------------|---------|







Example

Indicators 132 and 133 show life expectancy at age 75 in Croydon to be better than the England average for men and worse than the England average for women. For men, this is similar to London as a whole. For women, this is worse than for London. For both indicators, the trend over both one and three years in Croydon's position appears to have worsened.

| Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend |
|--|---------|--------|---------|---------------|-----------------|-----------------|
| 132 Life expectancy at 75 (men) in years | 12.3 | 12.0 | 11.3 | © | • | • |
| 133 Life expectancy at 75 (women) in years | 12.8 | 13.8 | 13.1 | • • | • | • |

Data limitations

The main limitation to the Dataset, and to all comparative data of this kind, is that of **timeliness**. Although the most recent data that was available at the cut off point for this report (6th August 2013) has been used for all indicators, there will still be an inevitable time lag. This is because the Dataset contains only those indicators which are publically and routinely available for all local authorities across the country. In practice, local areas use other, more timely data sources to inform their daily work, as they have access to data for their own data much sooner than for comparative information of the kind shown here.

It is also important to note that the data presented in this Dataset are for Croydon as a whole. There are **wide variations within Croydon** (such as differences in life expectancy across the Borough) that must always be taken into account when commissioning services for Croydon.

Finally, any analysis of need should not be dictated solely by areas for which data is available. **Stakeholder consultations** often raise important local issues for which local data may not be available. Other aspects of the JSNA, particularly the key topic areas (or 'deep

dive' chapters) include more qualitative, consultative approaches which are also a key part of prioritisation and commissioning.

Changes to the 2013/14 dataset

Key dataset brought forward in line with commissioning cycles

This year, the key dataset has been produced earlier in the year to fit in more closely with commissioning cycles, and the cut off period for the analysis has been moved forward from November to **6**th **August 2013**.

For a small number of indicators in the dataset (i.e. those where data is published annually between August and November) the data has not been updated. This is indicated by **x** being shown in an additional column on the right hand side of the page, and the data shown is the same as in the 2012/13 key dataset.

New indicators for 2013/14

This year, several new indicators have been added or have replaced existing indicators:

- New indicators have been added and some existing indicators have been revised where new data was published for national outcomes frameworks (the Public Health Outcomes Framework, NHS Outcomes Framework and Adult Social Care Outcomes Framework);
- ❖ New indicators have been added using data from the 2011 Census to fill gaps where relevant data was unavailable prior to the census;
- Two new indicators relevant to domestic violence have been added following review of the dataset in relation to this year's JSNA topic areas;
- One new indicator on two week cancer waits has been added following consultation with leads identified by the JSNA Steering Group;
- One new indicator on hospital stays has been added to fill a gap in the smoking section of the dataset.

CROYDON JSNA KEY DATASET 2013/14

| Domain | Indicator | Croydon | London | England | England F | Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|----------------|---|------------|------------|---------|-------------|----------|-----------------|-----------------|------------------------|-----------------|----------|
| Deprivat | ion | | | | | | | | | | |
| Deprivation | 1 Index of multiple deprivation (score) | 22.8 | 25.2 | 21.5 | \$ 0 | | no data | • | 2010 | n/a | Х |
| See also 9 Fue | el poverty, 38 Children in poverty, 118 Old | der people | e in pover | ty | <u> </u> | | | | | | |
| Commur | nity life | | | | | | | | | | |
| Migration | 2 International migrants identified on GP register (rate per 1,000 population) | 17.9 | 27.9 | 11.5 | ♦ • | | ı | • | Mid 2010 - Mid 2011 | n/a | Х |
| | 3 Average house prices (£000s) | £252 | £384 | £163 | \$ 0 | | - | • | Jun 2013 | n/a | ✓ |
| | 4 Homelessness acceptances (rate per 1,000 households) | 6.0 | 4.4 | 2.4 | • ♦ | | • | • | 2012/2013 | PHOF | √ |
| | 5 Households in temporary accommodation (rate per 1,000 households) | 14.3 | 11.5 | 2.4 | ● | | - | • | 2012/2013 | PHOF | ✓ |
| Housing | 6 Households in bed & breakfast accommodation (rate per 1,000 households) | 1.25 | 0.67 | 0.20 | • • | | • | • | 2012/2013 | n/a | ✓ |
| | 7 Overcrowded housing (% of households) | 9.9% | 11.6% | 4.8% | ∞ | | no data | no data | 2011 | n/a | NEW |
| | 8 No central heating (% of households) | 2.9% | 2.8% | 2.7% | • | | no data | no data | 2011 | n/a | NEW |
| | 9 Fuel poverty (% of households) | 11.3% | 10.8% | 16.4% | | (| • | no data | 2010 | PHOF | х |
| Domain | Indicator | Croydon | London | England | England F | Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |

| | 10 Total police recorded crime (rate per 1,000 population) | 84.2 | 93.0 | 63.3 | (0 | _ | • | 2012/2013 | n/a | ✓ |
|----------------|---|------------|-------|-------|------------|-------------|---------|------------------------|------|----------|
| | 11 First-time entrants to the youth justice system (rate per 100,000 10-17 year olds) | 663 | 585 | 537 | | 4 | 4 | 2012 | PHOF | √ |
| Crime | 12 Youth re-offending (% re-offending within 12 months) | 45.3% | 40.5% | 36.2% | • • | - | • | Oct 2010 - Sep 2011 | PHOF | ✓ |
| | 13 Adult re-offending (% re-offending within 12 months) | 25.6% | 25.3% | 26.1% | • | > | • | Oct 2010 - Sep 2011 | PHOF | ✓ |
| | 14 Average number of re-offences (number per offender) | 0.80 | 0.75 | 0.78 | ○ ♦ | > | • | Oct 2010 - Sep 2011 | PHOF | ✓ |
| See also 213 A | Alcohol related recorded crime and 218 L | Drug offen | ices | | | | | | | |
| | 15 Violence against the person offences (rate per 1,000 population) | 15.3 | 15.1 | 10.5 | • | _ | • | 2012/2013 | PHOF | ✓ |
| Violence | 16 Sexual violence offences (rate per 1,000 population) | 1.27 | 1.16 | 0.93 | • | _ | _ | 2012/2013 | PHOF | NEW |
| | 17 Emergency admissions for violence (rate per 100,000 population) | 70.8 | 71.9 | 67.7 | 0 | no data | no data | Apr 2009 - Mar 2012 | PHOF | NEW |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|-------------------|--|-----------|-----------|-----------|-----------------------------|-----------------|-----------------|----------------|-----------------|----------|
| | 18 Complaints about noise (rate per 1,000 population) | 11.0 | 16.3 | 7.5 | ♦ • | _ | no data | 2011/2012 | PHOF | ✓ |
| | 19 Estimated deaths attributable to particulate air pollution (% of deaths) | 6.5% | 7.2% | 5.6% | ♦ 0 | no data | no data | 2010 | PHOF | Х |
| Environment | 20 Carbon dioxide emissions within the scope of influence of local authorities (tonnes per resident) | 3.9 | 4.9 | 6.7 | • | _ | _ | 2011 | n/a | ✓ |
| | 21 Household waste recycling (% sent for recycling) | 38.3% | 33.9% | 43.0% | ♦ | • | • | 2011/2012 | n/a | ✓ |
| | 22 Fast food outlets (rate per 100,000 population) | 113.7 | 98.2 | 77.5 | • • | no data | no data | 2010 | n/a | Х |
| Road accidents | 23 Killed or seriously injured casualties on roads (rate per 100,000 population) | 28.2 | 36.8 | 41.9 | ♦ 0 | • | no data | 2009-2011 | PHOF | ✓ |
| See also 71 Ad | missions caused by injuries in children | and 115 A | Admission | is caused | by injuries in young people | | | | | |
| | 24 Social care-related quality of life (score) | 18.2 | 18.2 | 18.8 | 0 | _ | no data | 2012/2013 | ASCOF | ✓ |
| Social care | 25 Clients who have control over their daily life (% of survey respondents) | 72.3% | 70.7% | 75.9% | ∞ | • | no data | 2012/2013 | ASCOF | ✓ |
| Social cale | 26 Clients receiving self-directed support (% of people using social care) | 47.4% | 47.1% | 43.0% | 0 | • | no data | 2011/2012 | ASCOF | Х |
| | 27 Social connectedness (% of survey respondents who had as much social contact as they would like) | 37.6% | 39.6% | 42.3% | • • | • | no data | 2011/2012 | ASCOF, PHOF | NEW |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | | Frame- works | Jpdated |
|--------|-----------|---------|--------|---------|---------------|-----------------|-----------------|--|-----------------|---------|
|--------|-----------|---------|--------|---------|---------------|-----------------|-----------------|--|-----------------|---------|

| | 28 Delayed transfers of care from hospital (rate per 100,000 population) | 3.4 | 6.9 | 9.5 | | ♦ ○ | • | no data | 2012/2013 | ASCOF | ✓ |
|----------------|--|--------|-------|-------|-----------|------------|---------|---------|-----------|-------|----------|
| | 29 Delayed transfers of care from hospital attributable to adult social care (rate per 100,000 population) | 1.1 | 2.7 | 3.3 | | \$ | • | no data | 2012/2013 | ASCOF | √ |
| Social care | 30 Overall satisfaction of clients with their care and support (% satisfied of survey respondents) | 54.2% | 58.2% | 63.7% | • ♦ | | ı | no data | 2012/2013 | ASCOF | ✓ |
| Obcidi care | 31 Clients and carers who find it easy to find information about services (score) | 66.8 | 68.2 | 71.5 | \$ | | ı | no data | 2012/2013 | ASCOF | ✓ |
| | 32 Clients who say they feel as safe as they want (% of survey respondents) | 58.2% | 60.2% | 65.0% | • | | I | no data | 2012/2013 | ASCOF | ✓ |
| | 33 Clients who say services have made them feel safe and secure (% of survey respondents) | | 73.1% | 77.9% | • | | • | no data | 2012/2013 | ASCOF | ✓ |
| See also Socia | al Care in Working Life and Later Life se | ctions | | | | | | | | | |
| | 34 Carer reported quality of life (score) | 7.7 | 7.7 | 8.1 | 0 | | no data | no data | 2012/2013 | ASCOF | NEW |
| Carers | 35 Overall satisfaction of carers with social services (% satisfied of survey respondents) | 29.2% | 35.2% | 42.7% | • • | | no data | no data | 2012/2013 | ASCOF | NEW |
| Odicis | 36 Carers who report being included or consulted in discussions (% of survey respondents) | 63.4% | 65.9% | 72.8% | • | | no data | no data | 2012/2013 | ASCOF | NEW |
| | 37 Carers reported to be in poor health (% of people providing unpaid care) | 5.7% | 6.4% | 6.6% | | ♦ 0 | no data | no data | 2011 | n/a | NEW |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|---------------------------|--|----------|----------|-------------|------------------------|-----------------|-----------------|----------------|-----------------|---------|
| Early life See also Teena | nge Pregnancy in Family Life section, 1 | 99 Emerg | ency adm | nissions fo | r children with asthma | | | | | |
| | 38 Children in poverty (% of children aged under 16) | 25.7% | 27.8% | 20.6% | ◇● | _ | _ | 2010 | PHOF | Х |
| Poverty | 39 School children known to be eligible for free school meals (% of primary school pupils) | 23.6% | 23.7% | 18.1% | • | • | • | Jan 2013 | n/a | ✓ |
| | 40 School children known to be eligible for free school meals (% of secondary school pupils) | 19.3% | 23.4% | 15.1% | \$ | • | • | Jan 2013 | n/a | ✓ |
| | 41 Infant mortality (rate per 1,000 live births) | 4.4 | 4.4 | 4.4 | O | • | • | 2009-2011 | PHOF, NHSOF | ✓ |
| | 42 Neonatal mortality (rate per 1,000 live births) | 3.0 | 3.0 | 3.1 | 0 | • | • | 2009-2011 | NHSOF | ✓ |
| Infant mortality | 43 Perinatal mortality (rate per 1,000 total births) | 8.9 | 7.9 | 7.5 | • • | | _ | 2009-2011 | NHSOF | ✓ |
| | 44 Low birth weight (% of total births under 2500 grams) | 8.3% | 8.0% | 7.4% | ○ | • | • | 2011 | n/a | ✓ |
| | 45 Low birth weight (% of term babies under 2500 grams) | 3.1% | 3.0% | 2.8% | • | no data | no data | 2010 | PHOF | Х |
| | 46 DTaP / IPV / Hib vaccination coverage (1 year old) | 91.3% | 91.3% | 94.7% | • | _ | • | 2011/2012 | PHOF | Х |
| Immunisation | 47 Hib / MenC booster vaccination coverage (2 years old) | 85.1% | 86.8% | 92.3% | | • | • | 2011/2012 | PHOF | Х |
| | 48 PCV booster vaccination coverage (2 years old) | 82.4% | 85.3% | 91.5% | • • | • | • | 2011/2012 | PHOF | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|-------------------|--|---------|--------|---------|---------------|-----------------|-----------------|----------------|-----------------|---------|
| | 49 MMR vaccination coverage for one dose (2 years old) | 83.5% | 86.1% | 91.2% | • • | • | • | 2011/2012 | PHOF | х |
| Immunisation | 50 DTaP / IPV booster vaccination coverage (5 years old) | 75.0% | 78.8% | 87.4% | • • | • | • | 2011/2012 | PHOF | ✓ |
| | 51 MMR vaccination coverage for two doses (5 years old) | 73.1% | 80.2% | 86.0% | • • | • | • | 2011/2012 | PHOF | х |
| | 52 HPV vaccination coverage (girls aged 12-13 years old) | 79.3% | 78.9% | 86.8% | • | _ | no data | 2011/2012 | PHOF | ✓ |
| Dental health | 53 Children accessing NHS dentistry (% visiting a dentist in last 2 years) | 60.5% | 62.9% | 69.1% | • | • | • | Mar 2013 | n/a | ✓ |
| Demar nearm | 54 Tooth decay in children aged 5 (average number of teeth) | 1.05 | 1.31 | 1.11 | ♦ ○ | no data | no data | 2007/2008 | PHOF | х |
| See also 237 A | dults accessing NHS dentistry | | | | · | | | - | | |
| Childhood | 55 Excess weight in 4-5 year olds (% of Reception Year pupils) | 24.2% | 23.3% | 22.6% | • | • | • | 2011/2012 | PHOF | ✓ |
| obesity | 56 Excess weight in 10-11 year olds (% of Year 6 pupils) | 38.2% | 37.5% | 33.9% | | • | • | 2011/2012 | PHOF | ✓ |
| See also 221 E | stimated obesity prevalence (adults) | | | | • | | | | | |
| Physical activity | 57 Children travelling to school by public transport, cycling or walking (% of survey respondents) | 66.1% | 76.4% | 69.3% | • • | • | no data | 2010/2011 | n/a | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|---------------------|--|----------|----------|------------|---------------|-----------------|-----------------|----------------|-----------------|---------|
| | 58 Children achieving a good level of development at age 5 (% of pupils) | 65% | 64% | 64% | \otimes | • | • | 2011/2012 | n/a | х |
| | 59 Gap in good level of development at age 5 (between pupils receiving free school meals and the rest) | 14% | 12% | 19% | 0 \$ | _ | • | 2011/2012 | n/a | Х |
| School | 60 Attainment at key stage 2 (% achieving level 4 in English and Maths) | 79% | 82% | 80% | 0 \$ | • | • | 2011/2012 | n/a | × |
| attainment | 61 Gap in attainment at key stage 2 (between pupils receiving free school meals and the rest) | 15% | 12% | 17% | ○ ◆ | • | no data | 2011/2012 | n/a | ✓ |
| | 62 Attainment at key stage 4 (% achieving 5+ GCSEs at grades A*-C including English and Maths) | 62.2% | 62.3% | 59.0% | 0 | • | • | 2011/2012 | n/a | ✓ |
| | 63 Gap in attainment at key stage 4 (between pupils receiving free school meals and the rest) | 22.4% | 17.5% | 26.4% | O \$ | _ | • | 2011/2012 | n/a | ✓ |
| See also Educa | ation and Training in Working Age secti | on | | | | | | | | _ |
| Absence from school | 64 Pupil absence rate (% of half days missed) | 4.9% | 4.8% | 5.1% | • | • | • | 2011/2012 | PHOF | ✓ |
| See also 11 Fir | st time entrants to the youth justice syste | m and 12 | Youth re | -offending | • | | | | | |
| | 65 Looked after children (per 10,000 child population) | 84 | 56 | 59 | • • | • | • | Mar 2012 | n/a | ✓ |
| Looked after | 66 Unaccompanied asylum seeking children (per 10,000 child population) | 36.9 | 4.8 | 1.9 | > | _ | _ | Mar 2012 | n/a | ✓ |
| children | 67 Looked after children living in the same placement for at least 2 years (% of looked after children) | 82.8% | 69.9% | 68.2% | ♦ • | • | • | 2012 | n/a | ✓ |
| | 68 Emotional health and wellbeing of looked after children (score) | 11.5 | 13.5 | 13.8 | ♦ 0 | | no data | 2011/2012 | PHOF | ✓ |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|--------------------------------|--|------------|----------|----------|---|-----------------|-----------------|----------------|-----------------|---------|
| Health status | 69 Children reported to be in poor health (% of children aged under 16) | 0.74% | 0.78% | 0.64% | (0 | no data | no data | 2011 | n/a | NEW |
| Disability | 70 Children reported to have a limiting long-term health problem or disability (% of children aged under 16) | 3.9% | 3.4% | 3.7% | • • | no data | no data | 2011 | n/a | NEW |
| Injury | 71 Admissions caused by injuries in children (rate per 100,000 population aged under 15) | 101.2 | 93.3 | 118.2 | ∞ | • | no data | 2011/2012 | PHOF | NEW |
| See also 23 Kill | ed or seriously injured casualties on roa | ads, 115 A | dmission | s caused | by injuries in young people and 123 Injuries du | ie to falls | | | | |
| Family life See also Carers | 9 s in Community Life section | | | | | | | | | |
| Lone parent families | 72 Lone parent benefit claimants (% of working population) | 1.9% | 1.6% | 1.3% | • • | - | _ | Nov 2012 | n/a | ✓ |
| Smoking during pregnancy | 73 Smoking during pregnancy (% of mothers) | 7.8% | 5.7% | 12.7% | 00 | • | _ | 2012/2013 | PHOF | ✓ |
| See also Smok | ing in Healthy Lifestyles section | | | | | | | | | |
| Breastfeeding | 74 Breastfeeding initiation within 48 hours (% of mothers) | 86.0% | 86.8% | 73.8% | • | _ | • | 2012/2013 | PHOF | ✓ |
| Breasticeaning | 75 Breastfeeding at 6-8 weeks from birth (% of infants) | 67.9% | 68.5% | 47.2% | • | - | • | 2012/2013 | PHOF | ✓ |
| Teenage | 76 Under 18 conceptions (rate per 1,000 girls aged 15-17) | 32.8 | 28.7 | 30.7 | 0 \$ | • | • | 2011 | PHOF | ✓ |
| pregnancy | 77 Under 16 conceptions (rate per 1,000 girls aged 13-15) | 8.7 | 6.9 | 6.7 | • • | • | • | 2009-2011 | n/a | ✓ |
| Abortions | 78 Access to NHS funded abortions (% of NHS funded abortions before 10 weeks gestation) | 80.2% | 80.4% | 77.5% | • | 4 | • | 2012 | n/a | ✓ |
| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |

| Abortions | 79 Repeat abortions (ages under 25) (% of abortions) | 35.9% | 33.0% | 27.1% | • • | _ | • | 2012 | n/a | ✓ |
|---------------------------------------|--|-------|-------|-------|-------------|---------|----------|------------------------|------|----------|
| | 80 Repeat abortions (all ages) (% of abortions) | 49.4% | 42.6% | 36.9% | • • | 4 | _ | 2012 | n/a | ✓ |
| | 81 GP prescribed long acting reversible contraception (LARC) (rate per 1,000 women aged 15-44) | 47.5 | 28.0 | 52.4 | ♦ • | • | • | 2011/2012 | n/a | Х |
| | 82 Chlamydia screening coverage (% of people aged 15-24 screened) | 26.2% | 28.2% | 25.8% | • | no data | no data | Jan 2012 - Dec 2012 | n/a | ✓ |
| | 83 Chlamydia diagnoses (ages 15- 24) (rate per 100,000 population) | 2615 | 2159 | 1979 | • | no data | no data | 2012 | n/a | ✓ |
| | 84 Chlamydia diagnoses (ages 25 and over) (rate per 100,000 population) | 245.2 | 325.0 | 160.0 | ◇ | no data | no data | 2012 | n/a | ✓ |
| | 85 Gonorrhoea diagnoses at GUM clinics (rate per 100,000 population) | 131.6 | 129.8 | 45.9 | | _ | • | 2012 | n/a | ✓ |
| Sexually transmitted infections | 86 Syphilis diagnoses at GUM clinics (rate per 100,000 population) | 7.1 | 17.0 | 5.4 | \$ O | _ | _ | 2012 | n/a | ✓ |
| | 87 Genital herpes diagnoses at GUM clinics (rate per 100,000 population) | 95.4 | 91.4 | 58.4 | | _ | • | 2012 | n/a | ✓ |
| | 88 Genital warts diagnoses at GUM clinics (rate per 100,000 population) | 135.4 | 167.9 | 134.6 | ♦ O | • | • | 2012 | n/a | ✓ |
| | 89 HIV prevalence (rate per 1,000 people aged 15-59) | 4.8 | 5.4 | 2.0 | 40 | _ | _ | 2011 | n/a | ✓ |
| | 90 Persons presenting with HIV at a late stage of infection (% of new diagnoses of HIV) | 55.5% | 46.9% | 50.0% | O \$ | - | no data | 2009-2011 | PHOF | ✓ |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Frame- works | Updated |
|-----------|-----------|---------|--------|---------|---------------|-----------------|-----------------|---------------------|---------|
| Working a | age | | | | | | | | |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|----------------|--|---------|--------|---------|---------------|---------------------------------------|-----------------|------------------------|-----------------|---------|
| | 100 Self employment rate (% of people aged 16-64) | 10.4% | 11.6% | 9.7% | O | • | • | Apr 2012 - Mar 2013 | n/a | ✓ |
| Employment | 99 Overall employment rate (% of women aged 16-64) | 67.0% | 62.3% | 65.8% | ♦ 0 | • | _ | Apr 2012 - Mar 2013 | n/a | ✓ |
| | 98 Overall employment rate (% of men aged 16-64) | 76.2% | 76.5% | 76.5% | 0 | • | • | Apr 2012 - Mar 2013 | n/a | ✓ |
| Income | 97 Average earnings of employees (£ per week) | £580 | £613 | £513 | 0\$ | • | | Jan 2012 - Dec 2012 | n/a | ✓ |
| See also Schoo | of Attainment in Early Life section | | | | | · · · · · · · · · · · · · · · · · · · | | | | - |
| | 96 19 year olds attaining 2 A-levels or equivalent (% of 19 year olds) | 60% | 61% | 55% | O | • | • | 2012 | n/a | ✓ |
| | 95 16-18 year olds not in education, employment or training (% of 16-18 year olds) | 4.4% | 4.7% | 5.8% | ∞ | • | no data | 2012 | PHOF | ✓ |
| training | 94 Qualified to degree level or equivalent (% of people aged 16-64) | 40.1% | 47.6% | 34.2% | 0 < | > | • | Jan 2012 - Dec 2012 | n/a | ✓ |
| Education and | 93 Qualified to 2 A-levels or equivalent (% of people aged 16-64) | 59.5% | 63.2% | 54.9% | • • | • | • | Jan 2012 - Dec 2012 | n/a | ✓ |
| | 92 Qualified to NVQ level 1 or 2 (% of people aged 16-64) | 27.8% | 20.4% | 29.3% | 0 \$ | • | • | Jan 2012 - Dec 2012 | n/a | ✓ |
| | 91 People with no qualifications (% of people aged 16-64) | 6.0% | 8.4% | 9.5% | ♦ • | • | • | Jan 2012 - Dec 2012 | n/a | ✓ |

| | 101 Unemployment rate (% of people aged 16-64) | 10.7% | 9.1% | 8.0% | 0 \$ | • | • | Apr 2012 - Mar 2013 | n/a | ✓ |
|-----------------------|--|-------|-------|-------|-----------|----------|---------|------------------------|--------------------------|----------|
| Employment | 102 Job seekers allowance claimants (% of people aged 16-64) | 3.8% | 3.6% | 3.4% | • | | • | Jun 2013 | n/a | ✓ |
| Limployment | 103 Job seekers allowance claimants (% of people aged 18-24) | 5.9% | 4.9% | 6.0% | 0\$ | | • | Jun 2013 | n/a | ✓ |
| | 104 Key out-of-work benefit claimants (% of people aged 16-64) | 11.9% | 11.4% | 11.3% | • | _ | _ | Nov 2012 | n/a | ✓ |
| Absence from | 105 Sickness absence in the last week (% of employees surveyed) | 3.4% | 2.1% | 2.2% | • | no data | no data | 2009-2011 | PHOF | NEW |
| work | 106 Working days lost due to sickness absence (% of working days) | 1.9% | 1.2% | 1.5% | 0 0 | no data | no data | 2009-2011 | PHOF | NEW |
| Health status | 107 Adults reported to be in poor health (% of people aged 16-64) | 3.9% | 3.2% | 4.4% | 0 \$ | no data | no data | 2011 | n/a | NEW |
| Disability | 108 Adults reported to have a limiting long-term health problem or disability (% of people aged 16-64) | 11.1% | 10.9% | 12.6% | O | no data | no data | 2011 | n/a | NEW |
| Disability | 109 Employment support allowance and incapacity benefit claimants (% of people aged 16-64) | 5.4% | 5.6% | 6.0% | • | • | • | Nov 2012 | n∕a | ✓ |
| Mental illness | 110 Adults with mental illness in paid employment (%) | 7.0% | 6.1% | 7.7% | \otimes | • | • | 2012/2013 | ASCOF, PHOF, NHSOF | ✓ |
| | 111 Adults with mental illness living independently, with or without support (%) | 78.2% | 80.4% | 59.3% | • | _ | • | 2012/2013 | ASCOF, PHOF | ✓ |
| See also <i>Menta</i> | I Health in Long Term Conditions section | n | | | | | | | | |

| Domain | Indicator | Croydon | London | England | England | d Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|------------------------|---|------------|-----------|----------|----------------------------|-----------------------------|-----------------|-----------------|----------------|-----------------|---------|
| | 112 GP recorded learning disability prevalence (% of people aged over 18) | 0.51% | 0.34% | 0.45% | • | ♦ | • | • | 2011/2012 | n/a | х |
| Learning disability | 113 Adults with learning disabilities in paid employment (%) | 7.8% | 9.3% | 7.1% | | ○ | _ | • | 2011/2012 | ASCOF, PHOF | Х |
| | 114 Adults with learning disabilities who live in their own home or with their family (%) | 72.9% | 65.7% | 70.0% | ♦ | 0 | • | • | 2011/2012 | ASCOF, PHOF | х |
| Injury | 115 Admissions caused by injuries in young people (rate per 100,000 population aged 15-24) | 121.7 | 111.1 | 144.7 | | ∞ | • | no data | 2011/2012 | PHOF | NEW |
| See also <i>23 Ki</i> | lled or seriously injured casualties on roa | ads, 71 Ad | lmissions | caused b | y injuries in children and | d 123 Injuries due to falls | S | | | | |
| Vaccination | 116 Flu vaccination coverage (at risk individuals aged 6 months to 64 years) | 48.1% | 51.4% | 51.6% | • < | | • | • | 2011/2012 | PHOF | Х |
| See also Vacci | ination in Later Life section | | | | | | | | | | |
| Social care | 117 Permanent admissions of adults aged 18 to 64 to care homes (rate per 100,000 population aged 18-64) | 44.2 | 15.8 | 19.1 | • | ♦ | • | no data | 2011/2012 | ASCOF | ✓ |
| See also <i>Socia</i> | also Social Care in Community Life and Working Life sections | | | | | | | | | | |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|-----------------------|--|------------|------------|----------|-----------------------------|-----------------|-----------------|----------------|-----------------|---------|
| Later life | | | | | | | | | | |
| See also Long | Term Conditions in Healthy Life section | | | | | | | | | |
| Poverty | 118 Older people in poverty (% of people aged over 60) | 20.6% | 27.0% | 20.6% | ♦ • | no data | • | 2010 | n/a | х |
| Health status | 119 Older people reported to be in poor health (% of people aged over 65) | 14.1% | 16.6% | 14.5% | \$ O | no data | no data | 2011 | n/a | NEW |
| Disability | 120 Older people reported to have a limiting long-term health problem or disability (% of people aged over 65) | 49.1% | 51.8% | 51.5% | ♦ • | no data | no data | 2011 | n/a | NEW |
| Vaccination | 121 Flu vaccination coverage (ages over 65) | 68.5% | 72.2% | 74.0% | • • | • | • | 2011/2012 | PHOF | х |
| vaccination | 122 PPV vaccination coverage (ages over 65) | 64.3% | 62.6% | 68.3% | ♦• | _ | no data | 2011/2012 | PHOF | ✓ |
| See also 116 F | lu vaccination coverage at risk individua | ls (aged 6 | months - | 64 years |) | | | | | |
| F-II- | 123 Injuries due to falls (rate per 100,000 population aged over 65) | 1955 | 1872 | 1665 | • | • | no data | 2011/2012 | PHOF | ✓ |
| Falls | 124 Admissions for hip fracture (ages over 65) (rate per 100,000 population) | 384 | 433 | 457 | ♦ • | • | • | 2011/2012 | PHOF | ✓ |
| See also 71 Ad | missions caused by injuries in children | and 115 A | Admission | s caused | by injuries in young people | 1 | | | | |
| | 125 Permanent admissions of older people to care homes (rate per 100,000 population aged over 65) | 566.6 | 537.9 | 695.9 | O | • | no data | 2011/2012 | ASCOF | ✓ |
| Social care | 126 Older people still at home 91 days after discharge from hospital into reablement/rehabilitation services (%) | 74.8% | 84.8% | 82.7% | • • | _ | no data | 2011/2012 | ASCOF, NHSOF | х |
| | 127 Older people who were offered reablement services after discharge from hospital (%) | 3.3% | 4.8% | 3.2% | ○ ◆ | no data | no data | 2011/2012 | ASCOF, NHSOF | х |
| See also <i>Socia</i> | I Care and Carers in Community Life s | ection, an | d Social C | are in W | orking Life section | | | | | - |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|--|--|------------|----------|-----------|--|-------------------|-----------------|----------------|-----------------|---------|
| Healthy I See also <i>Heal</i> t | ife th Status in Early Life, Working Age and | Later Life | sections | | | | | | | |
| | 128 Life expectancy at birth (men) in years | 79.2 | 79.3 | 78.9 | O | 4 | • | 2009-2011 | n/a | ✓ |
| | 129 Life expectancy at birth (women) in years | 83.0 | 83.6 | 82.9 | 0 ♦ | _ | _ | 2009-2011 | n/a | ✓ |
| | 130 Inequality in life expectancy (men) in years | 9.5 | 7.5 | 7.7 | O • | • | • | 2006-2010 | PHOF | Х |
| All cause mortality | 131 Inequality in life expectancy (women) in years | 5.8 | 4.8 | 5.6 | 0 | • | • | 2006-2010 | PHOF | х |
| | 132 Life expectancy at 75 (men) in years | 12.3 | 12.0 | 11.3 | (| 4 | • | 2008-2010 | NHSOF | х |
| | 133 Life expectancy at 75 (women) in years | 12.8 | 13.8 | 13.1 | • • | 4 | • | 2008-2010 | NHSOF | Х |
| | 134 Deaths from causes considered preventable (rate per 100,000 population) | 129.6 | 141.3 | 146.1 | ◇ | no data | no data | 2009-2011 | | х |
| Deaths from in | dividual diseases are shown in the secti | ion on the | specific | disease.S | see also 23 Killed or seriously injured on roads | and <i>Infant</i> | t Mortality | in the Ear | ly Life se | ection. |
| Suicide | 135 Suicide rate (rate per 100,000 population) | 4.9 | 6.9 | 7.9 | ♦ • | _ | • | 2009-2011 | PHOF | Х |
| Mortality from causes | 136 Potential years of life lost from causes considered amenable to healthcare (men) (per 100,000) | 2614 | 2322 | 2325 | • ♦ | 4 | • | 2011 | NHSOF | NEW |
| amenable to healthcare | 137 Potential years of life lost from causes considered amenable to healthcare (women) (per 100,000) | 2069 | 1805 | 1844 | • • | _ | • | 2011 | NHSOF | NEW |
| Seasonal mortality | 138 Excess winter deaths (expressed as % of deaths during non-winter months) | 19.2% | 19.3% | 18.7% | O | 4 | • | 2007-2010 | PHOF | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|--------|---|---------|--------|---------|---------------|-----------------|-----------------|----------------|-----------------|----------|
| | 139 Spend per head on cancers and tumours | £70 | £97 | £105 | 0 \$ | 4 | • | 2011/2012 | n/a | ✓ |
| | 140 Breast screening rate (% of women aged 53-70) | 70.8% | 69.3% | 77.0% | ◇● | • | • | Mar 2012 | PHOF | ✓ |
| | 141 Cervical screening rate (% of eligible women aged 25-64) | 73.8% | 69.6% | 75.3% | ♦ | • | no data | Mar 2012 | PHOF | ✓ |
| | 142 Two week wait cancer GP referrals (rate per 100,000 population) | 1614 | 1497 | 1982 | ○ | no data | no data | 2011/2012 | n/a | NEW |
| | 143 Incidence of all cancers (rate per 100,000 population) | 369 | 366 | 387 | O | • | • | 2008-2010 | n/a | ✓ |
| Cancer | 144 Early deaths from cancer (rate per 100,000 population aged under 75) | 98.6 | 104.8 | 108.1 | ♦ • | _ | • | 2009-2011 | PHOF, NHSOF | √ |
| Cancer | 145 Early deaths from cancer considered preventable (rate per 100,000 population aged under 75) | 53.2 | 60.8 | 61.9 | ♦ 0 | no data | no data | 2009-2011 | PHOF | Х |
| | 146 Deaths from cancer (all ages) (rate per 100,000 population) | 151.4 | 160.8 | 167.9 | \$ 0 | [- | _ | 2009-2011 | n/a | ✓ |
| | 147 Incidence of oesophageal cancer (rate per 100,000 population) | 8.1 | 7.7 | 9.5 | O > | • | - | 2008-2010 | n/a | ✓ |
| | 148 Deaths from oesophageal cancer (rate per 100,000 population) | 6.5 | 6.6 | 8.3 | • | ı [- | • | 2008-2010 | n/a | Х |
| | 149 Incidence of stomach cancer (rate per 100,000 population) | 7.7 | 8.0 | 8.0 | (| II | • | 2008-2010 | n/a | ✓ |
| | 150 Deaths from stomach cancer (rate per 100,000 population) | 4.7 | 5.3 | 5.1 | \$0 | • | • | 2008-2010 | n/a | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|--------|--|---------|--------|---------|-------------------|-----------------|-----------------|----------------|-----------------|----------|
| | 151 Incidence of colorectal cancer (rate per 100,000 population) | 42.9 | 43.0 | 47.9 | 0 | • | • | 2008-2010 | n/a | ✓ |
| | 152 Deaths from colorectal cancer (rate per 100,000 population) | 15.5 | 15.5 | 16.8 | 0 | | • | 2009-2011 | n/a | √ |
| | 153 Incidence of lung cancer (rate per 100,000 population) | 39.8 | 44.0 | 45.8 | \Leftrightarrow | _ | • | 2008-2010 | n/a | √ |
| | 154 Deaths from lung cancer (rate per 100,000 population) | 29.2 | 35.7 | 37.2 | ♦ 0 | 4 | • | 2009-2011 | n/a | ✓ |
| | 155 Incidence of all skin cancers (rate per 100,000 population) | 57.7 | 54.1 | 126.4 | • | _ | • | 2008-2010 | n/a | √ |
| Cancer | 156 Deaths from malignant melanoma (rate per 100,000 population) | 2.4 | 2.0 | 2.6 | 0 | _ | • | 2008-2010 | n/a | Х |
| Cancer | 157 Incidence of breast cancer (rate per 100,000 population) | 112.6 | 117.0 | 124.5 | \$0 | • | • | 2008-2010 | n/a | ✓ |
| | 158 Deaths from breast cancer (rate per 100,000 population) | 20.8 | 24.3 | 25.3 | ♦ 0 | | • | 2008-2010 | n/a | Х |
| | 159 Incidence of cervical cancer (rate per 100,000 population) | 5.7 | 6.4 | 8.7 | • | _ | • | 2008-2010 | n/a | √ |
| | 160 Deaths from cervical cancer (rate per 100,000 population) | 1.12 | 2.06 | 2.24 | ♦○ | • | • | 2008-2010 | n/a | Х |
| | 161 Incidence of prostate cancer (rate per 100,000 population) | 113.1 | 109.1 | 103.8 | \odot | • | • | 2008-2010 | n/a | √ |
| | 162 Deaths from prostate cancer (rate per 100,000 population) | 22.2 | 22.5 | 23.9 | O | _ | • | 2008-2010 | n/a | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|------------------------|--|----------|------------------|-------------------|-------------------------------------|-----------------|-----------------|----------------|-----------------|---------|
| | 163 Incidence of bladder cancer (rate per 100,000 population) | 9.2 | 10.3 | 11.4 | \$ 0 | • | • | 2008-2010 | n/a | ✓ |
| Cancer | 164 Deaths from bladder cancer (rate per 100,000 population) | 4.2 | 4.2 | 4.8 | • | • | _ | 2008-2010 | n/a | х |
| | 165 Deaths from leukaemia (rate per 100,000 population) | 6.1 | 4.7 | 4.8 | 0 0 | _ | _ | 2008-2010 | n/a | х |
| | 166 Spend per head on infectious diseases | £38 | £53 | £28 | 0 \$ | • | _ | 2011/2012 | n/a | ✓ |
| | 167 Deaths from communicable diseases (rate per 100,000 population) | 37.1 | 32.0 | 29.9 | • • | no data | no data | 2009-2011 | PHOF | NEW |
| Infectious diseases | 168 Lab confirmed gastrointestinal disease (rate per 100,000 population) | 178.9 | 546.1 | 382.2 | ♦ 0 | _ | _ | 2011 | n/a | Х |
| | 169 New cases of tuberculosis (rate per 100,000 population) | 35.3 | 42.9 | 15.4 | 40 | _ | _ | 2009-2011 | n/a | Х |
| | 170 Treatment for tuberculosis (% completing treatment) | 85.5% | 86.6% | 84.3% | O | no data | no data | 2011 | PHOF | Х |
| See also Sexua | ally Transmitted Infections in Family Life | section, | and <i>Vacci</i> | <i>ination</i> in | Working Age and Later Life sections | | | | | |
| | 171 Sight loss due to age related macular degeneration (rate per 100,000 population) | 127.6 | 88.4 | 110.5 | O | • | no data | 2011/2012 | PHOF | ✓ |
| Preventable | 172 Sight loss due to glaucoma (rate per 100,000 population) | 18.1 | 14.9 | 12.8 | 0 ♦ | • | no data | 2011/2012 | PHOF | ✓ |
| sight loss | 173 Sight loss due to diabetic eye disease (rate per 100,000 population) | 4.9 | 4.5 | 3.8 | O | • | no data | 2011/2012 | PHOF | ✓ |
| | 174 Sight loss certifications (rate per 100,000 population) | 43.9 | 33.8 | 44.5 | O \$ | _ | no data | 2011/2012 | PHOF | ✓ |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|-----------------------------|---|---------|--------|---------|---------------|-----------------|-----------------|----------------|-----------------|----------|
| Long te | erm conditions | | | | | | | | | |
| | 175 Spend per head on endocrine, nutritional and metabolic problems | £46 | £59 | £56 | 0 \$ | • | • | 2011/2012 | n/a | ✓ |
| | 176 GP recorded diabetes prevalence (% of adults aged over 17) | 6.1% | 5.6% | 5.8% | • ♦ | 4 | _ | 2011/2012 | PHOF | Х |
| | 177 Blood sugar control (% of patients with diabetes with HbA1c < 7.5) | 61.4% | 60.3% | 62.9% | ◇● | no data | no data | 2011/2012 | n/a | Х |
| | 178 Access to diabetic retinopathy screening (attended screening as % of those offered screening) | 92.3% | 78.7% | 80.9% | ♦ 0 | • | no data | 2011/2012 | PHOF | ✓ |
| | 179 Emergency admissions for diabetes (rate per 100,000 population) | 38.7 | 25.5 | 27.4 | • • | 1 | • | 2010/2011 | n/a | X |
| | 180 Deaths from diabetes (rate per 100,000 population) | 5.7 | 5.8 | 5.7 | O | 4 | _ | 2008-2010 | n/a | Х |
| | 181 Spend per head on cardiovascular diseases | £124 | £127 | £131 | 0> | • | _ | 2011/2012 | n/a | ✓ |
| disease | 182 Early deaths from cardiovascular diseases (rate per 100,000 population aged under 75) | 64.6 | 64.7 | 60.9 | 0 | • | • | 2009-2011 | PHOF, NHSOF | √ |
| | 183 Early deaths from cardiovascular diseases considered preventable (rate per 100,000 population age<75) | 39.7 | 40.2 | 40.6 | O | no data | no data | 2009-2011 | PHOF, NHSOF | Х |
| Coronary heart | 184 GP recorded coronary heart disease prevalence (% of people of all ages) | 2.3% | 2.2% | 3.4% | 0> | _ | _ | 2011/2012 | n/a | Х |
| disease | 185 Deaths from coronary heart disease (rate per 100,000 population) | 73.6 | 69.5 | 73.3 | \bigcirc | • | • | 2009-2011 | n/a | ✓ |
| | | | | | | 1 Year | 3 Year | Time | Frame- | |
| Domain | Indicator | Croydon | London | England | England Range | Trend | Trend | Period | works | Updated |

| | 186 GP recorded stroke/TIA prevalence (% of people of all ages) | 1.22% | 1.08% | 1.74% | 0 ♦ | • | • | 2011/2012 | n/a | х |
|------------------------|--|---------|--------|---------|---------------|-----------------|-----------------|----------------|-----------------|---------|
| | 187 Emergency admissions for stroke (rate per 100,000 population) | 116.8 | 117.6 | 121.4 | 0 | _ | • | 2010/2011 | n/a | х |
| Stroke | 188 Emergency readmissions within 28 days of discharge for stroke (%) | 13.7% | 14.4% | 12.0% | ∞ | • | • | 2010/2011 | n/a | ✓ |
| | 189 Early deaths from stroke (rate per 100,000 population aged under 75) | 12.1 | 12.9 | 12.2 | ∞ | • | _ | 2008-2010 | n/a | Х |
| | 190 Deaths from stroke (all ages) (rate per 100,000 population) | 34.5 | 35.0 | 39.1 | © | • | _ | 2009-2011 | n/a | ✓ |
| | 191 Spend per head on problems of the respiratory system | £83 | £80 | £84 | ∞ | • | • | 2011/2012 | n/a | ✓ |
| Respiratory disease | 192 Early deaths from respiratory diseases (rate per 100,000 population aged under 75) | 22.9 | 22.7 | 23.4 | • | no data | no data | 2009-2011 | PHOF, NHSOF | Х |
| | 193 Early deaths from respiratory diseases considered preventable (rate per 100,000 population age<75) | 10.4 | 11.5 | 11.6 | | no data | no data | 2009-2011 | PHOF, NHSOF | Х |
| | 194 Estimated COPD prevalence (% of adults aged over 16) | 4.3% | 3.8% | 3.6% | • • | no data | no data | 2011 | n/a | Х |
| Chronic obstructive | 195 GP recorded COPD prevalence as a % of estimated COPD prevalence (ages over 16) | 29.0% | 35.0% | 57.9% | • ♦ | • | no data | 2011/2012 | n/a | Х |
| pulmonary disease | 196 Early deaths from COPD (rate per 100,000 population aged under 75) | 12.5 | 11.1 | 11.7 | \otimes | - | • | 2008-2010 | n/a | х |
| | 197 Deaths from COPD (all ages) (rate per 100,000 population) | 23.6 | 24.3 | 25.2 | • | • | • | 2009-2011 | n/a | ✓ |
| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |

| | 198 GP recorded asthma prevalence (% of people of all ages) | 4.9% | 4.7% | 5.9% | ○ | _ | • | 2011/2012 | n/a | X |
|--|--|-------|-------|-------|-----------|---------|---------|-----------|----------------|----------|
| As thm a | 199 Emergency admissions for children with asthma (rate per 100,000 population aged under 16) | 273.8 | 206.3 | 232.9 | • | • | • | 2010/2011 | n/a | × |
| | 200 Deaths from asthma (rate per 100,000 population) | 1.00 | 1.16 | 1.15 | ⊗ | • | • | 2009-2011 | n/a | √ |
| Liver disease | 201 Early deaths from liver disease (rate per 100,000 population) | 13.1 | 15.7 | 14.4 | ♦○ | no data | no data | 2009-2011 | PHOF, NHSOF | Х |
| Liver disease | 202 Early deaths from liver disease considered preventable (rate per 100,000 population) | 11.9 | 13.4 | 12.7 | 8 | no data | no data | 2009-2011 | PHOF, NHSOF | X |
| | 203 Spend per head on mental health | £190 | £255 | £212 | 0 \$ | • | • | 2011/2012 | n/a | √ |
| | 204 GP recorded dementia prevalence (% of people of all ages) | 0.40% | 0.35% | 0.53% | 0 \$ | _ | _ | 2011/2012 | n/a | Х |
| Mental health | 205 GP recorded depression prevalence (% of adults aged over 18) | 7.4% | 8.1% | 11.7% | ∞ | _ | • | 2011/2012 | n/a | Х |
| | 206 GP recorded severe mental illness prevalence (% of people of all ages) | 1.02% | 1.00% | 0.82% | | • | _ | 2011/2012 | n/a | Х |
| 2) p ¹ 2) s ₁ (0 | 207 Hospital stays for self-harm (rate per 100,000 population) | 145 | 112 | 207 | ○ | | no data | 2011/2012 | PHOF | ✓ |
| | 208 Excess deaths in adults with serious mental illness aged under 75 (difference in rate per 100,000) | 841 | 608 | 921 | O \$ | • | no data | 2010/2011 | PHOF, NHSOF | Х |
| See also <i>Menta</i> | - | | | | | | | | NHSOF | |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|----------------|---|-------------|-----------|---------------------|-------------------|-----------------|-----------------|----------------|-----------------|----------|
| _ | / lifestyles | | | | | | | | | |
| See also Teena | age Pregnancy and Sexually Transmitte | d Infectior | ns in Fam | <i>ily Lif</i> e se | ction | | | | | |
| | 209 Smoking prevalence (% of adults aged over 18 who responded to survey) | 19.7% | 18.9% | 20.0% | \Diamond | • | no data | 2011/2012 | PHOF | ✓ |
| Con altin a | 210 Smoking quitters (rate per 100,000 people aged over 16) | 796 | 851 | 944 | • | • | • | 2011/2012 | n/a | X |
| Smoking | 211 Hospital stays for smoking attributable conditions (rate per 100,000 population aged over 35) | 1216 | 1337 | 1420 | \$ | • | no data | 2010/2011 | n/a | NEW |
| | 212 Deaths attributable to smoking (rate per 100,000 population aged over 35) | 185.7 | 199.1 | 210.6 | \Leftrightarrow | _ | _ | 2008-2010 | n/a | X |
| See also 73 Sn | noking during pregnancy | | | | | | | | | |
| | 213 Alcohol related recorded crimes (rate per 100,000 population) | 10.8 | 11.1 | 7.0 | • | • | • | 2011/2012 | n/a | Х |
| | 214 Hospital stays for alcohol attributable conditions (rate per 100,000 population) | 1992 | 1985 | 1974 | 0 | • | • | 2011/2012 | PHOF | ✓ |
| Alcohol | 215 Deaths attributable to alcohol (men) (rate per 100,000 population) | 35.2 | 34.2 | 35.5 | • | • | • | 2010 | n/a | Х |
| | 216 Deaths attributable to alcohol (women) (rate per 100,000 population) | 13.6 | 13.0 | 14.7 | | • | • | 2010 | n/a | Х |
| | 217 Successful completion of alcohol treatment (planned exits as a % of those exiting treatment) | 55.0% | 58.0% | 57.7% | \otimes | no data | no data | 2011/2012 | n/a | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated |
|-----------------------|--|---------|--------|---------|---------------|-----------------|-----------------|------------------------|-----------------|---------|
| | 218 Drug offences (rate per 1,000 population) | 6.4 | 6.2 | 3.6 | | • | _ | 2012/2013 | n/a | ✓ |
| Drugs | 219 Successful completion of drug treatment (opiate users) (% of those in treatment) | 10.5% | 9.9% | 8.6% | (| • | no data | 2011 | PHOF | NEW |
| | 220 Successful completion of drug treatment (non-opiate users) (% of those in treatment) | 27.7% | 36.2% | 39.5% | | • | no data | 2011 | PHOF | NEW |
| See also <i>Crime</i> | e in Community Life section | | | | | | | | | |
| Adult obesity | 221 Estimated obesity prevalence (% of adults aged over 16) | 23.5% | 20.7% | 24.2% | O \$ | l nodata | no data | 2006-2008 | PHOF | x |
| See also Childi | hood Obesity in Early Life section | | | | | • | | | | |
| | 222 Adults achieving at least 150 minutes of physical activity per week (% of adults aged over 16) | 56.8% | 57.3% | 56.0% | ○ | no data | no data | 2012 | PHOF | NEW |
| Physical | 223 Adults classified as 'inactive' (% of adults aged over 16) | 29.8% | 27.3% | 28.5% | ♦ ○ | no data | no data | 2012 | PHOF | NEW |
| activity | 224 People using outdoor space for exercise/health reasons (% of adults aged over 16) | 21.6% | 9.5% | 14.0% | ♦ 0 | no data | no data | Mar 2009 - Feb 2012 | PHOF | Х |
| | 225 Walking or cycling to work (% of working population aged 16-74) | 9.0% | 12.9% | 13.7% | | nodata | no data | 2011 | n/a | NEW |
| See also <i>Physi</i> | cal Activity in Early Life section | | | | • | | | | | |
| Eating habits | 226 Estimated healthy eating prevalence (% of adults aged over 16 eating 5 fruit and veg) | 34.4% | 36.4% | 28.7% | 00 | no data | no data | 2006-2008 | n/a | Х |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated | | | | | |
|---------------------------|--|--------------------|--------|---------------------|---|-----------------|-----------------|------------------------|-----------------|----------|--|--|--|--|--|
| For immunisation | ■ Health services or immunisations, see also Immunisation in Early Life section, Vaccination in Working Age section, and Vaccination in Later Life section or screening, see also 83 Chlamydia screening coverage, Cancer in Healthy Life section, and 178 Access to diabetic retinopathy screening | | | | | | | | | | | | | | |
| | see also 83 <i>Chlamydia screening cover</i> 227 Proportion of deaths at home (%) | age , Can 39.8% | 35.8% | althy Life 43.7% | section, and 178 Access to diabetic retinopathy | screening — | • | Jan 2012 - Dec 2012 | n/a | √ | | | | | |
| | 228 Experience of access to GP services (% positive responses to survey question) | 74.9% | 72.2% | 76.3% | ♦ • | _ | no data | Jul 2012 - Mar 2013 | NHSOF | ✓ | | | | | |
| Satisfaction with primary | 229 Overall experience of GP services (% positive responses to survey question) | 84.0% | 82.1% | 86.7% | ♦ • | • | no data | Jul 2012 - Mar 2013 | NHSOF | √ | | | | | |
| | 230 Overall experience of GP out of hours services (% positive responses to survey question) | 61.8% | 62.9% | 70.2% | | _ | no data | Jul 2012 - Mar 2013 | NHSOF | ✓ | | | | | |
| | 231 Offered an NHS health check (% of eligible people aged 40-74) | 20.0% | 20.6% | 16.5% | • | • | no data | 2012/2013 | PHOF | ✓ | | | | | |
| | 232 Take up of NHS health checks (% of people offered health checks) | 12.5% | 45.2% | 49.1% | • • | • | no data | 2012/2013 | PHOF | ✓ | | | | | |
| | 233 All cause elective hospital admissions (rate per 1,000 population) | 123.2 | 117.9 | 124.6 | \otimes | • | 4 | 2011/2012 | n/a | ✓ | | | | | |
| hospital | 234 All cause emergency hospital admissions (rate per 1,000 population) | 86.8 | 80.9 | 87.4 | 0 ♦ | • | • | 2011/2012 | n/a | ✓ | | | | | |
| | 235 Emergency readmissions within 30 days of discharge from hospital (%) | 12.2% | 12.0% | 11.8% | • | • | • | 2010/2011 | PHOF, NHSOF | X | | | | | |

| Domain | Indicator | Croydon | London | England | England Range | 1 Year Trend | 3 Year Trend | Time Period | Frame- works | Updated | | |
|----------------|---|---------|--------|---------|---------------|-----------------|-----------------|------------------------|-----------------|----------|--|--|
| | 236 Spend per head on dental problems | £73 | £65 | £65 | ♦ 0 | 1 | ı | 2011/2012 | n/a | ✓ | | |
| | 237 Adults accessing NHS dentistry (% visiting a dentist in last 2 years) | 48.1% | 47.1% | 52.5% | (0 | • | • | Mar 2013 | n/a | √ | | |
| | 238 Experience of access to NHS dental services (% able to get an appointment) | 92.2% | 89.6% | 93.0% | ♦ 0 | • | no data | Jul 2012 - Mar 2013 | NHSOF | ✓ | | |
| | 239 Overall experience of NHS dental services (% positive responses to survey question) | 81.6% | 80.0% | 84.0% | \$ O | • | no data | Jul 2012 - Mar 2013 | NHSOF | ✓ | | |
| See also 53 Ch | See also 53 Children accessing NHS dentistry | | | | | | | | | | | |

Croydon Council

Appendix 1: Going further

The England range column of the Croydon Key Dataset enables users to assess Croydon's performance or levels of need in relation to England and London.



It illustrates the **average rate for England** for each indicator, shown by the vertical dark line running through the centre) and the range of results for all local authorities/PCTs in England.

The further to the **left of the column** that Croydon (the circle) lies, the 'worse' the performance, or the higher the need.

The **further to the right** of the column that Croydon lies, the 'better' the performance, or the lower the need.

If the circle lies in the darker grey section in the middle of the England range column, Croydon lies in the middle 50% of values in England.

If the circle lies in the light grey area to the left of the dark grey bar, it is in the **worst 25%** (or 25% with highest need) in the country.

If the circle lies in the light grey area to the right of the dark grey bar, it is in the **best 25%** (or 25% with lowest need) in the country.

Example 1

| Indicator | Croydon | London | England | England Range | | 3 Year Trend |
|---|---------|--------|---------|---------------|---|-----------------|
| 11 First-time entrants to the youth justice system (rate per 100,000 10-17 year olds) | 663 | 585 | 537 | • | • | • |

The red circle shows that the Croydon rate is statistically significantly worse than the England average. The position of the circle shows that Croydon is in the worst 25% of local authorities, and the Croydon rate is also worse than the London average (indicated by the diamond).

The trend columns show that compared with 1 year ago and 3 years ago, Croydon's performance is getting worse in relation to other local authorities.

This is an example of an indicator that may be highlighted as a challenge for Croydon, because performance is poor compared with other local authorities and is deteriorating over time.

Example 2

| Indicator | Croydon | London | England | England Range | | 1 Year Trend | 3 Year Trend |
|--|---------|--------|---------|---------------|----------|-----------------|-----------------|
| 143 Incidence of all cancers (rate per 100,000 population) | 369 | 366 | 387 | | • | • | • |

Croydon Key Dataset

The green circle shows that the Croydon rate is statistically significantly better than the England average. The position of the circle shows that Croydon is in the middle 50% of local authorities, and the Croydon rate is similar to the London average (indicated by the diamond).

The trend columns show that compared with 1 year ago and 3 years ago, Croydon's performance is getting better in relation to other local authorities.

This is an example of an indicator that may be highlighted as a good news story for Croydon, because performance is better than the England average and is improving over time.

Example 3

| Indicator | Croydon | London | England | England | 1 Year Trend | 3 Year Trend | |
|-------------------------------------|---------|--------|---------|---------|-----------------|-----------------|---|
| 203 Spend per head on mental health | £190 | £255 | £212 | 0 | ♦ | • | • |

The white circle shows that statistical significance cannot be calculated for this indicator, however it is still possible to judge performance by the position of the circle. The position of the circle shows that Croydon is in the middle 50% of local authorities, but to the left of the England average, so it may be considered only slightly worse than the England average.

The trend columns show that compared with 1 year ago and 3 years ago, Croydon's performance is getting worse in relation to other local authorities.

This is an example of an indicator that may be highlighted as an emerging issue for Croydon, because although performance is currently only slightly worse than the England average, it is deteriorating over time.