APPENDIX 1

Health & Wellbeing Board Performance Report

May 2014

Strategy & Performance & Public Health Intelligence Team— Croydon Council 5/15/2014


Contents


NOTE – the principal source of data within this report is the Croydon Key dataset developed by the Croydon Public Health Intelligence Team. Thanks to David Osborne (Senior Public Health Analyst) in particular for making this data source available and for his input into the selection of relevant performance measures.

Improvement area 1: giving our children a good start in life

Priorities

- 1.1 Reduce low birth weight
- 12. Increase breastfeeding initiation and prevalence
- 1.3 Improve the uptake of childhood immunisations
- 1.4 Reduce overweight and obesity in children
- 1.5 Improve children's emotional and mental wellbeing
- 1.6 Reduce the proportion of children living in poverty
- 1.7 Improve educational attainment in disadvantaged groups





Performance measures

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previou s year	Londo n Averag e	Englan d Averag e	Comparison with previous year	Comparison with London Average	Comparison with England Average
Conception rate per thousand women aged 15 to	Croydo n key dataset	LOW	28.6	2012	32.10	24.4	26.3	BETTER	WORSE	ABOUT THE SAME

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previou s year	Londo n Averag e	Englan d Averag e	Comparison with previous year	Comparison with London Average	Comparison with England Average
17										
Breastfeeding initiation within 48 hours (% of mothers)	Croydo n key dataset	HIGH	86	2012/13	87	86.8	73.8	ABOUT THE SAME	ABOUT THE SAME	BETTER
% breastfeeding prevalence at 6-8 week health check (infants totally or partially breastfed as a % of all subject to a health check)	Croydo n key dataset	HIGH	67.9	2012/13	67.3	68.5	47.2	ABOUT THE SAME	ABOUT THE SAME	BETTER
Percentage of women who are smokers at the time of delivery	Croydo n key dataset	LOW	7.6	2013/14 (Quarter 2 reporting period)	7.8	5	11.8	ABOUT THE SAME	WORSE	BETTER
Percentage of children aged 4-5 years with height and weight recorded who are either overweight	Croydo n key dataset	LOW	23.7	2012/13	24.2	23.01	22.22	ABOUT THE SAME	ABOUT THE SAME	ABOUT THE SAME

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previou s year	Londo n Averag e	Englan d Averag e	Comparison with previous year	Comparison with London Average	Comparison with England Average
or obese										
Percentage of children aged 10-11 years with height and weight recorded who are either overweight or obese	Croydo n key dataset	LOW	38.2	2012/13	38.3	37.5	33.9	ABOUT THE SAME	ABOUT THE SAME	WORSE
Percentage of live and still births under 2500 grams	Croydo n key dataset	LOW	8.3	2011	8.8	8	7.4	BETTER	ABOUT THE SAME	WORSE
Immunisations - DTaP / IPV / Hib vaccination coverage (1 year old)	Croydo n key dataset	HIGH	91.1	2012/13	91.3	91.1	94.7	ABOUT THE SAME	ABOUT THE SAME	WORSE
Immunisations - Hib / MenC booster vaccination coverage (2 years old)	Croydo n key dataset	HIGH	86.6	2012/13	82.4	87.3	92.7	BETTER	ABOUT THE SAME	WORSE

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previou s year	Londo n Averag e	Englan d Averag e	Comparison with previous year	Comparison with London Average	Comparison with England Average
Immunisations - PCV booster vaccination coverage (2 years old)	Croydo n key dataset	HIGH	86.2	2012/13	82.4	86.6	92.5	BETTER	ABOUT THE SAME	WORSE
Immunisations - MMR vaccination coverage for one dose (2 years old)	Croydo n key dataset	HIGH	86.5	2012/13	83.5	87.1	92.3	BETTER	ABOUT THE SAME	WORSE
Immunisations - DTaP / IPV vaccination coverage (5 years old)	Croydo n key dataset	HIGH	92.7	2012/13	92.5	92.8	95.8	ABOUT THE SAME	ABOUT THE SAME	WORSE
Immunisations - MMR vaccination coverage for two doses (5 years old)	Croydo n key dataset	HIGH	74.2	2012/13	73.1	80.8	87.7	ABOUT THE SAME	WORSE	WORSE
Tooth decay in children aged 5 (average number of teeth)	Croydo n key dataset	LOW	1.05	2007/08	NA	1.31	1.11	UNKNOWN	BETTER	BETTER
Emotional wellbeing of	Croydo n key	LOW	12.6	2011/12	11.5	13.5	14	ABOUT THE SAME	ABOUT THE SAME	WORSE


Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previou s year	Londo n Averag e	Englan d Averag e	Comparison with previous year	Comparison with London Average	Comparison with England Average
looked-after children -	dataset									
Children living in poverty	Croydo n key dataset	LOW	25.2	2011	25.7	26.5	20.6	ABOUT THE SAME	ABOUT THE SAME	WORSE


Improvement area 2: preventing illness and injury and helping people recover


Priorities

- 2.1 Reduce smoking prevalence
- 2.2 Reduce overweight and obesity in adults
- 2.3 Reduce the harm caused by alcohol misuse
- 2.4 Early diagnosis and treatment of sexually transmitted infections including HIV infection
- 2.5 Prevent illness and injury and promote recovery in the over 65s

Potential challenge areas	Areas of success
% of persons aged 65 and over immunised against influenza	% Fuel poverty







Performance measures

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
% of persons aged 65 and over immunised against influenza	Croydon key dataset	HIGH	65. 7	2013/14	67	70	73.2	WORSE	WORSE	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Self-reported 4-week smoking quitters per 100,000 adult population aged 16+	Croydon key dataset	HIGH	793	2012/13	796	805	868	ABOUT THE SAME	ABOUT THE SAME	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Smoking prevalence (% of adults aged over 18 who responded to survey)	Croydon key dataset	LOW	19. 7	2011/12	19.4	18.9	20	ABOUT THE SAME	ABOUT THE SAME	ABOUT THE SAME

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Rate of hospital admissions with a primary or secondary diagnosis of obesity per 100,000 population	Public Health Outcomes	LOW	440	2012/13	307	462	551	WORSE	BETTER	BETTER

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	F r a m e w o r k									
Recorded crime attributable to alcohol: Persons, all ages, crude rate per 1000 population	C r o y d o n k e y	LOW	9.2	2012/13	9.65	9.02	5.74	ABOUT THE SAME	ABOUT THE SAME	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Percentage of patients on GP registers aged 17 and over diagnosed with diabetes	d a t a s e t C r o y d o n k	LOW	6.3	2012/13	6.1	5.82	6.01	ABOUT THE SAME	WORSE	WORSE
	e y d a t									

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	a s e t									
Adults achieving at least 150 minutes of physical activity per week (% of adults aged over 16)	Croydon keydatas	HIGH	10.	2012	NA	11	11.8	UNKNOWN	ABOUT THE SAME	ABOUT THE SAME

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Persons presenting with HIV at a late stage of infection (% of new diagnoses of HIV)	t Croydon key datas	LOW	58.	2010/12	55.5	44.9	48.3	WORSE	WORSE	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	t									
Chlamydia diagnoses (ages 15- 24) (rate per 100,000 population)	C o y d o n	n/a	251	2013/14 Quarter 3	2615	2075	1785	UNKNOWN	UNKNO WN	UNKNOW N
	k e y									
	d a t a s e									

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Percentage of	t	LOW	10.	2011	11.3	9.6	10.9	BETTER	WORSE	ABOUT
households identified as "fuel poor"	r o y d o n		8							THE SAME
	k e y									
	d a t a s e									

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	t									
Injuries due to falls (rate per 100,000 population aged over 65)	C r o y d o n	LOW	8	2012/13	2418	2242	2011	ABOUT THE SAME	ABOUT THE SAME	WORSE
	k e y									
	d a t a s e									

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Patient reported outcomes for elective procedures: Groin Hernia (EQ-5D-average health gain score out of 1)	t NHS outcomes frame		0.0 67	2011/2012	0.084	0.082	0.087	WORSE	WORSE	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	w o r k									
Patient reported outcomes for elective procedures: Hip Replacement (EQ-5D- average health gain score out of 1)	NHS outcomes fram		0.3 81	2011/2012	0.366	0.397	0.416	BETTER	ABOUT THE SAME	WORSE

Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Patient reported outcomes for elective procedures: Knee Replacement (EQ-5D- average	e w o r k N H S o	High	0.2	2011/2012	0.242	0.268	0.302	BETTER	BETTER	WORSE
health gain score out of 1)	u t c o m e s f r a m									


Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
Patient reported	e w o r k	High	Sup	2011/2012	Suppress	0.076	0.095	UNKNOWN	UNKNO	UNKNOW
outcomes for elective procedures: Varicose Vein (EQ-5D- average health gain score out of 1)	HS outcomes fra		pre sse d due to sma II sam ple		ed due to small sample				WN	N


Measure description	S o u r c e	Polarity (is a higher or lower number better?)	Mo st rec ent ann ual dat a	From	Previous year	Londo n Averag e	Englan d Averag e	Compariso n with previous year	Compari son with London Average	Comparis on with England Average
	e									
	w									
	0									
	r									
	k									

Improvement area 3: preventing premature death and long term health conditions

Priorities

- 3.1 Early detection and management of people at risk for cardiovascular diseases and diabetes
- 3.2 Early detection and treatment of cancers





Page 32

Performance measures

Measure description	Source	Pol arit y (is a high er or lowe r num ber bette r?)	Most recent annual data	From	Previou s year	London Average	England Average	Comp arison with previo us year	Comparison with London Average	Compariso n with England Average
Infant mortality - Rate per 1,000 live births,	Croydon key dataset	LO W	4.4	2009-11	4.8	4.4	4.4	BETT ER	ABOUT THE SAME	ABOUT THE SAME
Life expectancy at age 75 (males) in years	Croydon key dataset	HIG H	11.5	2010-12	11.6	12	11.3	ABOU T THE SAME	ABOUT THE SAME	BETTER
Life expectancy at age 75 (females) in years	Croydon key dataset	HIG H	13.3	2010-12	13.1	13.9	13.	ABOU T THE SAME	WORSE	ABOUT THE SAME
Early deaths from cancer considered preventable (rate per 100,000 population aged under 75)	Croydon key dataset	LO W	79.6	2010-12	74.3	81.5	84.9	WORS E	ABOUT THE SAME	WORSE
Deaths from causes considered	Croydon key	LO W	179	2010-12	171	178.2	187.8	WORS E	ABOUT THE SAME	WORSE

Measure description	Source	Pol arit y (is a high er or lowe r num ber bette r?)	Most recent annual data	From	Previou s year	London Average	England Average	Comp arison with previo us year	Comparison with London Average	Compariso n with England Average
preventable (rate per 100,000 population)	dataset									
Early deaths from cardiovascular diseases considered preventable (rate per 100,000 population age<75)	Croydon key dataset	LO W	55.2	2010-12	56	52	53.5	ABOU T THE SAME	ABOUT THE SAME	ABOUT THE SAME
Early deaths from liver disease considered preventable (rate per 100,000 population age<75)	Croydon key dataset	LO W	14	2010-12	14.9	16.6	15.8	ABOU T THE SAME	BETTER	BETTER
Early deaths from respiratory diseases considered	Croydon key dataset	LO W	17.9	2010-12	15.4	17.1	17.6	WORS E	ABOUT THE SAME	ABOUT THE SAME

Measure description	Source	Pol arit y (is a high er or lowe r num ber bette r?)	Most recent annual data	From	Previou s year	London Average	England Average	Comp arison with previo us year	Comparison with London Average	Compariso n with England Average
preventable (rate per 100,000 population age<75)										
Offered an NHS health check (% of eligible people aged 40-74)	Croydon key dataset	HIG H	0.11	2012/13	20	5.6	13.2	WORS E	WORSE	WORSE
Take up of NHS health checks (% of people offered health checks)	Croydon key dataset	HIG H	1.6	2013/14	12.5	43.7	48.10	WORS E	WORSE	WORSE
% of NHS health checks that identify patients to be at high risk	TBC	TB C	12.3	2012/13	10.2	Local indicator	local indicator	UNKN OWN	UNKNOWN	UNKNOWN
Breast screening rate (% of women	Croydon key	HIG H	69.2	2013	70.8	68.6	76.3	ABOU T THE	ABOUT THE SAME	WORSE


¹ Revised, improved figures for health checks both offered and uptake have been submitted but are yet to be published. The figures presented here are those published.

Measure description	Source	Pol arit y (is a high er or lowe r num ber bette r?)	Most recent annual data	From	Previou s year	London Average	England Average	Comp arison with previo us year	Comparison with London Average	Compariso n with England Average
aged 53-70)	dataset							SAME		
Cervical screening rate (% of eligible women aged 25-64)	Croydon key dataset	HIG H	71.7	2013	73.8	68.6	73.9	ABOU T THE SAME	BETTER	ABOUT THE SAME
Deaths from diabetes (rate per 100,000 population)	Croydon key dataset	LO W	5.64	2010-12	5.68	5.06	5.05	ABOU T THE SAME	ABOUT THE SAME	ABOUT THE SAME


Improvement area 4: supporting people to be resilient and independent

Priorities

- 4.1 Rehabilitation and reablement to prevent repeat admissions to hospital
- 4.2 Integrated care and support for people with long term conditions
- 4.3 Support and advice for carers
- 4.4 Reduce the number of households living in temporary accommodation
- 4.5 Reduce the number of people receiving job seekers allowance



Potential challenge areas	Areas of success					
Although increasing, the proportion of social care clients in receipt of direct payments appears to lag significantly behind London and national averages NB: Provisional figures for 2013/13 will be available in July 2014	Croydon has seen strong growth, outstripping the London and National averages. Croydon's figure for 2012/13 is one of the best in London. NB: Provisional figures for 2013/13 will be available in July 2014					
Proportion of adults with learning disabilities in paid employment	Delayed transfers of care from hospital per 100,000 population					
The proportion of adults with LD in paid employment in Croydon does not show a particular trend and, whilst better than the England average, is short of performance across London. NB: Provisional figures for 2013/13 will be available in July 2014	The frequency of delayed transfers of care from hospital is significantly lower in Croydon than London and National comparators. The same is also true for the accompanying indicator which shows only those delays attributable to social care services. NB: Provisional figures for 2013/13 will be					



Performance measures

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	d	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
Survey Social care- related quality of life	ASCOF	HIGH	18.2	20 12 /1	18.2	18.2	18.8	ABOUT THE SAME	ABOUT THE SAME	ABOUT THE SAME

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	Englan d Averag e	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
Proportion of people who use services who have control over their daily life	ASCOF	HIGH	72.3%	20 12 /1 3	71.0%	70.7%	75.9%	ABOUT THE SAME	ABOUT THE SAME	ABOUT THE SAME
Proportion of people using social care who receive self-directed support	ASCOF	HIGH	73.8% 67.9% (provision al 2013-14)	20 12 /1 3	47.4%	63.5%	55.6%	BETTER	BETTER	BETTER
Proportion of people using social care who receive direct payments	ASCOF	HIGH	9.6% 7.4% (provision al 2013-14)	20 12 /1 3	7.5%	19.3%	16.4%	BETTER	WORSE	WORSE
Survey:Carer-reported quality of life	ASCOF	HIGH	7.7	20 12 /1 3		7.7	8.1	UNKNOWN	ABOUT THE SAME	WORSE

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	Englan d Averag e	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
Proportion of adults with learning disabilities in paid employment	ASCOF	HIGH	5.0% 6.3% (provision al 2013-14)	20 12 /1 3	7.8%	9.4%	7.2%	WORSE	WORSE	WORSE
Proportion of adults in contact with secondary mental health services in paid employment	ASCOF	HIGH	6.6% 7.5% (Quarter 3 2013-14)	20 12 /1 3	6.5%	6.1%	7.7%	BETTER	BETTER	WORSE
Proportion of adults with learning disabilities who live in their own home or with their family	ASCOF	HIGH	68.9% 66.2% (provision al 2013-14)	20 12 /1 3	72.9%	67.7%	73.3%	WORSE	ABOUT THE SAME	WORSE
Proportion of adults in contact with secondary mental health services living independently, with or without support	ASCOF	HIGH	78.2% 55.7% (Quarter 3 2013-14)	20 12 /1 3	72.9%	80.4%	59.3%	BETTER	ABOUT THE SAME	BETTER
Permanent admissions of younger	ASCOF	LOW	4.3	20 12	44.2	10.8	14.9	BETTER	BETTER	BETTER

Page 41

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	Englan d Averag e	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
adults (aged 18 to 64) to residential and nursing care homes, per 100,000 population				/1 3						
Permanent admissions of older people (aged 65 and over) to residential and nursing care homes, per 100,000 population	ASCOF	LOW	239.6	20 12 /1 3	566.6	493.7	708.8	BETTER	BETTER	BETTER
Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/ rehabilitation services	ASCOF	HIGH	85.1%	20 12 /1 3	74.8%	85.9%	81.5%	BETTER	ABOUT THE SAME	ABOUT THE SAME
Delayed transfers of care from hospital per 100,000 population	ASCOF	LOW	3.4 5.1 (Mar-14)	20 12 /1 3	4.8	6.9	9.5	BETTER	BETTER	BETTER

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	Englan d Averag e	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
Delayed transfers of care from hospital which are attributable to adult social care per 100,000 population	ASCOF	LOW	1.1 1.2 (Mar-14)	20 12 /1 3	2.3	2.7	3.3	BETTER	BETTER	BETTER
Overall satisfaction of people who use services with their care and support	ASCOF	HIGH	54.2%	20 12 /1 3	53.9%	58.2%	63.7%	ABOUT THE SAME	WORSE	WORSE
Overall satisfaction of carers with social services	ASCOF	HIGH	29.2%	20 12 /1 3	Not available	35.2%	42.7%	UNKNOWN	WORSE	WORSE
Proportion of carers who report that they have been included or consulted in discussion about the person they care for	ASCOF	HIGH	63.4%	20 12 /1 3	Not available	65.9%	72.8%	UNKNOWN	ABOUT THE SAME	WORSE
Proportion of people who use services and carers who find it easy to find information about services	ASCOF	HIGH	66.8%	20 12 /1 3	70.9%	68.2%	71.5%	WORSE	ABOUT THE SAME	WORSE

Measure description	Source	Polarity (is a higher or lower number better?)	Most recent annual data	Fr o m	Previous year	London Average	Englan d Averag e	Compariso n with previous year	Compariso n with London Average	Compariso n with England Average
Proportion of people who use services who say that those services have made them feel safe and secure	ASCOF	HIGH	59.7%	20 12 /1 3	76.0%	73.1%	77.9%	WORSE	WORSE	WORSE

Improvement area 5: providing integrated, safe, high quality services

Priorities

- 5.1 Redesign of mental health pathways
- 5.2 Increased proportion of planned care delivered in community settings
- 5.3 Redesign of urgent care pathways
- 5.4 Improve the clinical quality and safety of health services
- 5.5 Improve early detection, treatment and quality of care for people with dementia

No focus areas recommended at this point

Measure description	S ou rc e	Polarity (is a higher or lower number better?)	Most recen t annu al data	From	Previous year	London Average	England Average	Compari son with previous year	Comparis on with London Average	Comparis on with England Average
All cause emergency hospital admissions (rate per 1,000 population)	Cr oy do n ke y da	LOW	86.8%	2011/12	85.5%	80.9%	87.4%	ABOUT THE SAME	WORSE	ABOUT THE SAME

Measure description	S ou rc e	Polarity (is a higher or lower number better?)	Most recen t annu al data	From	Previous year	London Average	England Average	Compari son with previous year	Comparis on with London Average	Comparis on with England Average
	ta se t									
Emergency readmissions within 30 days of discharge from hospital (%)	Cr oy do n ke y da ta se t	LOW	12.2%	2010/11	12.0%	12.0%	11.8%	ABOUT THE SAME	ABOUT THE SAME	ABOUT THE SAME
Proportion of deaths from all causes that occur at usual place of residence	Cr oy do n ke y da ta se t	NA	39.8	2012	38.1	35.8	43.7	UNKNO WN	UNKNOW N	UNKNOW N
Safety incidents	N	LOW	64	Oct 12- Mar 13	95	Not	Medium	BETTER	UNKNOW	Medium

Measure description	S ou rc e	Polarity (is a higher or lower number better?)	Most recen t annu al data	From	Previous year	London Average	England Average	Compari son with previous year	Comparis on with London Average	Comparis on with England Average
involving severe harm or death per 100 admissions	H S ou tc o m es fra m e w or k					available	Acute(Cro ydon's comparato r group): 19		N	Acute: WORSE
Patient safety incidents reported rate per 100 admissions	N H S ou tc o m es fra m	LOW	6.6	Oct 12- Mar 13	7.5	Not available	Medium Acute(Cro ydon's comparato r group): 6.2	BETTER	UNKNOW N	Medium Acute: UNKNOW N

Measure description	S ou rc e	Polarity (is a higher or lower number better?)	Most recen t annu al data	From	Previous year	London Average	England Average	Compari son with previous year	Comparis on with London Average	Comparis on with England Average
	or k									
Incidence of avoidable harm: MRSA (crude count)	N H S ou tc o m es fra m e w or k	LOW	1 (YE 13/14, 4)	Oct-Dec 2013	1 (Jul- Sep13)	Not available	0.34	ABOUT THE SAME	UNKNOW N	WORSE
Incidence of avoidable harm: C.difficle (crude count)	N H S ou tc o m	LOW	(YE 13/14, 51)	Oct-Dec 2013	14 (Jul- Sep 13)	Not available	5.2	ABOUT THE SAME	UNKNOW N	WORSE

Measure description	S ou rc e	Polarity (is a higher or lower number better?)	Most recen t annu al data	From	Previous year	London Average	England Average	Compari son with previous year	Comparis on with London Average	Comparis on with England Average
	es									
	fra									
	m									
	е									
	W									
	or									
	k									

Improvement area 6: improving people's experience of care

Priorities

- 6.1 Improve end of life care
- 6.2 Improve patient and service user satisfaction with health and social care services

No focus areas recommended at this point

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previous year	Lond on Avera ge	Englan d Averag e	Compariso n with previous year	Comparison with London Average	Comparison with England Average
Patient experience of primary care: GP Services	NHS outcomes framework	HIGH	84	2013	n/a	82	86.7	UNKNOWN	BETTER	WORSE
Patient experience of primary care: Out of Hours Services	NHS outcomes framework	HIGH	62	2013	59	62.9	70.2	BETTER	ABOUT THE SAME	WORSE
Patient experience of primary care: Dentistry	NHS outcomes framework	HIGH	82	2013	Not available	Not availa ble	84	UNKNOWN	UNKNOWN	ABOUT THE SAME

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previous year	Lond on Avera ge	Englan d Averag e	Compariso n with previous year	Comparison with London Average	Comparison with England Average
Patient experience of hospital care: Inpatient Overall Experience	NHS outcomes framework	HIGH	68	2012- 13	67.7	Not availa ble	76	ABOUT THE SAME	UNKNOWN	WORSE
Patient experience of hospital care: Outpatient Overall Experience	NHS outcomes framework	HIGH	74.4	2011	75.3	Not availa ble	80	ABOUT THE SAME	UNKNOWN	WORSE
Patient experience of hospital care: Inpatient Responsiveness to Needs	NHS outcomes framework	HIGH	57.4	2011	58.6	Not availa ble	68.1	ABOUT THE SAME	UNKNOWN	WORSE
Patient experience of hospital care: A&E Overall Experience	NHS outcomes framework	HIGH	75.5	2012	72.3	Not availa ble	80	BETTER	UNKNOWN	WORSE
Access to NHS dental services	NHS outcomes framework	HIGH	90	Jul- Sep30 13	Not available	90	93	UNKNOWN	ABOUT THE SAME	WORSE
Access to GP services	NHS outcomes framework	HIGH	74	2013	Not available	71	76.3	UNKNOWN	BETTER	ABOUT THE SAME

Measure description	Source	Polarit y (is a higher or lower number better?)	Most recent annual data	From	Previous year	Lond on Avera ge	Englan d Averag e	Compariso n with previous year	Comparison with London Average	Comparison with England Average
Women's experience of maternity services: Intrapartum ² (score between 1 -100)	NHS outcomes framework	High	70.5	2013	73.0	Not availa ble	74.5	WORSE	UNKNOWN	WORSE
Patient experience of community mental health services ³ (score between 1-10)	NHS outcomes framework	HIGH	8.75	2013	8.5	Not availa ble	85.8	BETTER	UNKNOWN	WORSE

² Reliable data not available for pre and post natal components of this indicator. The indicator definition includes 6 questions across an antenatal survey (which Croydon did not submit), a Intrapartum survey- shown here and a Postnatal survey for which only one of the two questions is available in the Croydon report. As a result only the two questions c13 and c17 average from the Intrapartum results have been shown here.

³ Data is only available at SLAM (South London and Maudsley) level.